



Burden of Firearm Deaths


- 33,000 annual firearm deaths per year
 - 35% homicide
 - 67,000 annual injuries
- Homicide is the third leading cause of death among 15-34 years old ¹
- US homicide rate is 7xs higher than other high-income countries
- Homicide by firearms 25xs higher than other high-income countries²
- Burden of homicides fall disproportionately on young, minority men


Date forming to Provide the Standing amount of make to go group, bland to go group, bland dates. 2011. Sign formation principles (Standing Amounts), and an Array principles (Standing Amounts) (Standing Amounts). The an Array (Standing Amounts) (Standing Amounts) (Standing Amounts). The array (Standing Amounts) (Stan


2
















Youth Violence


- STARTS EARLY
- Aggression → ↑ Risk factors, ↓ Protective factors → Violence COMMON
 2013-2017: 53.6% of violent admissions under age of 25

- KILLS AND INJURES
 - Homicide is the leading cause of death for young men aged 15 and 24 and the second leading cause of death for those aged 10 to 24
 2017: 2462 children reported with gunshot wounds compared to 1000 active duty military injured by gunshot wounds (AMJ, 2017)
- COSTLY











14

Interpersonal Violence

Background

- PREDICTABLE
 - Known risk factors for violent behavior
- LIKELY TO RECUR IF NO INTERVENTION
 - 20-40% recidivism rate after being a victim of assault
- KILLS AND INJURES
 - 20% of homicide victims are treated for a violent injury in the 5 years preceding their death
- HOSPITAL AS AN ENTRY POINT
 - Risk reduction strategies can be provided in trauma centers

Dusk to Dawn



